- virtualhost by port □□□□ 80,81 ,82
- virtualhost by name [][][] www,www2,www3
- virtualhost by ip [][][] 192.[168.[1.[]1 , 192.[]168.[]1.[]2

	rties				?
vent					
D <u>a</u> te:	3/25/2009	<u>S</u> ource:	HTTP		+
lime:	3:27:27 PM	Category:	None		
Гур <u>е</u> :	Error	Event <u>I</u> D:	15005		+
Jser:	N/A				
Computer:	RMUTLGAM	IES			
linelie te		al a chuire ar tear		0.0.00 The	ID Listen
this mach	ine. The data	field contai	ns the error r	number.	or onlot off
this mach For more i <u>http://qo.</u>	nformation, se microsoft.com	field contai e Help and /fwlink/eve	ns the error r Support Cer <u>ints.asp</u> .	iumber. iter at	
this mach For more i <u>http://go.</u> ) a <u>t</u> a: •	ine. The data nformation, se <u>microsoft.com</u> <u>Bytes C W</u>	field contai e Help and /fwlink/eve ords	ns the error r Support Cer nts.asp.	number. Iter at	R
this mach For more i <u>http://go.</u> Da <u>t</u> a: (• 0000: 0008:	ine. The data nformation, se <u>microsoft.com</u> <u>Bytes C W</u> 00 00 04 00 00 09	field contai e Help and /fwlink/eve ords 00 02 00 90	ns the error r Support Cer nts.asp. 00 52 0 3a 00 c	oumber. Iter at 0	R. ▲ 

	erties				?
vent					
Date: Ti <u>m</u> e: Typ <u>e</u> : User: Compute Descripti	3/25/2009 3:27:27 PM Error N/A r:	<u>S</u> ource: Catego <u>r</u> y: Event <u>I</u> D:	W3SVC None 1004		★
<u>D</u> escripti	on:	profiu			
Cannot "http://c site has	ampuster the URI ampuster and been deactivat	ed. The da	1:80:203 <b>-614</b> ta field contain	s the error r	site '1'. The humber.
Cannot 'http://c site has For more <u>http://g</u>	register the UH ampuster and been deactivat e information, se <u>o.microsoft.com</u>	ed. The da	1:80:203 <b>-000</b> ta field contain Support Cente <u>nts.asp</u> .	s the error r r at	site '1'. The humber.
Cannot 'http://c site has For more <u>http://g</u> Da <u>t</u> a: (	<ul> <li>Bytes C W</li> </ul>	ed. The da ee Help and //wink/eve ords	::80:203 <b>-2014</b> ta field contain Support Cente <u>nts.asp</u> .	sthe error r r at	site '1'. The number.
Cannot 'http://c site has For more <u>http://g</u> Da <u>t</u> a: ( 0000:	<ul> <li>egister the UH ampust the up been deactivat</li> <li>information, se</li> <li>microsoft.com</li> <li>Bytes C W</li> <li>20 00 07</li> </ul>	ed. The da ee Help and //wink/eve ords	::80:203 <b>-000</b> ta field contain Support Cente <u>nts.asp</u> .	rat	site '1'. The number.



- \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
   \_\_\_\_\_\_
- 1 LAN Card (2 IP Address)
- apache (appserv)



E Internet Information Services ()	195) Manager						×
G De ácton per Mindor t ↔ → 50 00 c2 10 10 c2	900 2001 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1					<u></u>	×
Experience Substantion Tension     Tension     Tension     Tension     Tension     Application Food     Tension     Tension     Tension     Tension     Tension     Tension     Tension     Tension     Tension     Tension	Increase Proceeding and Sta Proceeding and Advance - Proceeding and Advance -	Edentifier 1 2 arceroous?	Sets Forming Ramming Reaming	Triat Treador Index	F others Of Sealand Of Means 201 Means 201 Means 201 Means	9mt 381 21	
	1						-

Directory Security	HTTP Headers Custom Errors Server Extensions 2003
Web Site Per	formance   ISAPI Filters   Home Directory   Documents
Web site identifica	ation
Description:	Default Web Site
IP address:	203.158.170.35
TCP port:	(All Unassigned)
Tot bott	203.1 25
Connections	
Connection times	put: 120 seconds
Connection times	out: 120 seconds P Keep-Alives
Connection timeo	out: 120 seconds <sup>o</sup> <u>K</u> eep-Alives
Connection times Enable HTTF <u>Enable loggin</u>	out: 120 seconds PKeep-Alives
Connection times Enable HTTF <u>Enable loggin</u> Active log form	out: 120 seconds <sup>o</sup> Keep-Alives ng nat:
Connection times Enable HTTF <u>Enable loggin</u> Active log form W3C Extende	out: 120 seconds PKeep-Alives ng hat: ed Log File Format Properties
Connection times Enable HTTF Enable loggin Active log form W3C Extende	out: 120 seconds <sup>D</sup> Keep-Alives ng nat: ed Log File Format <u>Properties</u>
Connection times Enable HTTF <u>Enable loggin</u> Active log form W3C Extende	out: 120 seconds PKeep-Alives ng nat: ed Log File Format Properties
Connection times Enable HTTF <u>Enable loggin</u> Active log form W3C Extende	out: 120 seconds PKeep-Alives ng mat: ed Log File Format Properties
Connection times Enable HTTF Enable loggin Active log form W3C Extende	out: 120 seconds PKeep-Alives ng nat: ed Log File Format Properties

Directory Security	HTTP Headers Custom Errors Server Exten:	sions 200
Web Site Per	formance   ISAPI Filters   Home Directory   D	ocument
Web site identifica	ation	
Description:	Default Web Site	
IP address:	203.10000000 Adva	anced
ICP port:	80. SSL port:	
Connections		
	name i la contra de	
Lonnection times	put: 120 seconds	
Connection times	put:   120 seconds P Keen-Alives	
Connection timeo	out: <mark>120</mark> seconds P <u>K</u> eep-Alives	
Enable HTTF	put: 120 seconds PKeep-Alives	
Connection timed	put: 120 seconds PKeep-Alives	
Enable HTTF	out: 120 seconds PKeep-Alives Ig nat: ed Log File Format Properties	
Connection times	out: 120 seconds PKeep-Alives ng hat: d Log File Format	
Connection times	out: 120 seconds <sup>12</sup> Keep-Alives ng nat: ed Log File Format <u>Properties</u>	
Connection timed	out: 120 seconds PKeep-Alives ng nat: ed Log File Format Properties	
Connection timed	out: 120 seconds PKeep-Alives ng nat: ed Log File Format Properties	
Connection timed	out: 120 seconds PKeep-Alives ng hat: ed Log File Format Properties	



- - IIS \_\_\_\_\_\_ 192.\_168.\_1.\_1
  - apache \_\_\_\_\_\_ 192.\_168.\_1.\_2

gie gat gen Fignatat	joik	Refe				2
0 ···· 0 · 3	p	earch 💽 Folders 🛄+				
Append Statements The		and the second sec				M 🛃 🛍
and the second se	-	Asia -	Falder Size	Sca	Date Podfed	
File and Falder Tasks	신	CAppierv	65,004108		12/302882-0122	
This even faller		Countents and Settings	1,356,30848		28/11/2890 0:41	
A DATE & MAR ASSAULT MA		Constant-	107,487108		28(11)2550 3:40	
And And		CProgram Piles	2,972,331 KB		10/10/2002 10:47	
	_	C) tang	\$118		25/082552 15:49	
	-	OVERCENS	3,478,07993		32(3)25611513	
Other Places	2	Cashra	42,513,22	1000	20/11/2000 3-46	
G 283. C 284. W		The second second second	15,00548	15,005-48	2010/02/2011 19:10	
(1) the furning of		Economic and	0.00	0.0	10110100.00	
		1 Caret advised to be	110	1.18	14/10/2010 10:00	
		Nor absorbed in	10412	104.02	12/12/2011 18:41	
A sh contra		Bindert ch	2.026.08	2.026.08	12(12(299)) 18:17	
My Network Places		Theorem and	8210	8248	18/212580-0:31	
the second se	_	TELEPHONT.Call	3.532168	3,832108	INCOME INCOME.	
Datally	1	CONSURPORT .	24,12508		25/012582 15:47	
Certain	-		-			

- - cd c:support

  - net stop http /y
  - net start w3svc

🖾 C:\WINDOWS\system32\cmd.exe	- 🗆 ×
C:\SUPPORT>httpcfg set iplisten -i 203.400000.35 HttpSetServiceConfiguration completed with 0.	
C:\SUPPORT>net stop http /y The following services are dependent on the HTTP service. Stopping the HTTP service will also stop these services.	
World Wide Web Publishing Service HTTP SSL	
The World Wide Web Publishing Service service is stopping. The World Wide Web Publishing Service service was stopped successfully.	
The HTTP SSL service is stopping. The HTTP SSL service was stopped successfully.	
The HTTP service was stopped successfully.	
C:\SUPPORT>net start w3svc The World Wide Web Publishing Service service is starting. The World Wide Web Publishing Service service was started successfully.	
C:\SUPPORT>	
	-



# Warning: session\_start() [function.session-start]:

Warning: session\_start() [function.session-start]: Cannot send session cookie — headers already sent by (output started at C:AppServwwwaaaindex.php:2) in C:AppServwwwaaaindex.php on line 2

Warning: session\_start() [function.session-start]: Cannot send session cache limiter – headers already sent (output started at C:AppServwwwaaaindex.php:2) in C:AppServwwwaaaindex.php on line 2

upload []\_\_\_\_ server []\_\_\_\_\_\_

\_\_\_\_\_\_localhost path \_\_\_\_\_\_\_\_

session.save\_path = "C:/DOCUME~1/ADMINI~1/LOCALS~1/Temp"

\_\_\_\_\_ file php.ini \_\_\_\_\_ server \_\_\_\_

session.save\_path = "C:/Temp" \*\*\*\*\*
\_\_\_\_\_ temp directory
\_\_\_\_\_\_ C:WINDOWSTemp



\_\_\_\_\_\_ \_\_\_\_\_\_\_ \_\_\_\_\_\_ \_\_\_\_\_\_

### 



Date and Time Properties	? ×
Date & Time   Time Zone   Internet Time	1
Automatically synchronize with an Internet time server	
Server: time.rmutl.ac.th	
The time has been successfully synchronized with time.rmutl.ac.th on 18/3/2552 at 10:08.	
Next synchronization: 25/3/2552 at 10:07 Synchronization can occur only when your computer is connected to t Internet. Learn more about <u>time synchronization</u> in Help and Support Center.	he
OK Cancel <u>Ap</u>	ply

time.rmutl.ac.th

```
______ time.rmutl.ac.th
_____ internet time ______ ____ _____ ____ Server _____
____ The time has been
sussessfully ....
o _______ _ ____
time.navy.mi.th
time2.navy.mi.th
time3.navy.mi.th
clock.nectec.or.th
clock2.nectec.or.th
```

### clock.thaicert.nectec.or.th

## rpmdb: Lock table is out of available locker entries



[root@www ~]# rpm -ivh phpmssgl-5.1.6-15.el5.centos.1.x86 64.rpm rpmdb: Lock table is out of available locker entries rpmdb: Unknown locker ID: 7bd error: db4 error(22) from db->close: Invalid argument error: cannot open Packages index using db3 – Cannot allocate memory (12) error: cannot open Packages database in /var/lib/rpm warning: php-mssql-5.1.6-15.el5.centos.1.x86 64.rpm: Header V3 DSA signature: NOKEY, key ID e8562897 rpmdb: Lock table is out of available locker entries rpmdb: Unknown locker ID: 7be error: db4 error(22) from db->close: Invalid argument error: cannot open Packages database in /var/lib/rpm

[root@www ~]# cd /var/lib/rpm/ [root@www rpm]# ls Basenames \_\_db.001 \_\_db.003 Filemd5s Installtid Packages Provideversion Requirename Shalheader Triggername Conflictname \_\_db.002 Dirnames Group Name Providename Pubkeys Requireversion Sigmd5

#### 

rm /var/lib/rpm/\_\_db.00\*
rpm -rebuilddb

### 

[root@www ~]# yum -y install php-mssql.x86 64 Loading "installonlyn" plugin Loading "fastestmirror" plugin Loading mirror speeds from cached hostfile \* kbs-CentOS-Extras: centos.karan.org \* base: centosb2.centos.org \* updates: centosq2.centos.org \* addons: centosk2.centos.org \* kbs-CentOS-Testing: centos.karan.org \* extras: centosg2.centos.org Setting up Install Process Parsing package install arguments Resolving Dependencies -> Running transaction check -> Package php-mssgl.x86 64 0:5.1.6-15.el5.centos.1 set to be updated -> Processing Dependency: libsybdb.so.5()(64bit) for package: php-mssql -> Running transaction check -> Package freetds.x86 64 0:0.64-11.el5.centos set to be updated

### -> Finished Dependency Resolution

### Dependencies Resolved

		=========	
======= Package Repository	=== Size	Arch	Version
	===		
Installing:			
php-mssql	X	86_64	5.1.6-15.el5.centos.1
extras	24 k		
Installing fo	r dependencies	:	
freetds		x86_64	0.64-11.el5.centos
extras	866 k		
Transaction S	ummary		
Install	 2 Package(s)		
Update	0 Package(s)		
Remove	0 Package(s)		
Total downloa	d size: 890 k		
Downloading P	ackages:		
(1/2): freet	ds-0.64-11.el	100%  ==	
866 kB 00	:13		I
(2/2): php-ms	sql-5.1.6-15	100%  ===	
24 kB 00:0	9		
Running rpm c	heck debug		
Running Trans	action Test		
Finished Tran	saction Test		
Transaction T	est Succeeded		
Running Trans	action		
Installing:	freetds		
############	#############	# [1/2]	
Installing:	php-mssql		

Installed: php-mssql.x86\_64 0:5.1.6-15.el5.centos.1
Dependency Installed: freetds.x86\_64 0:0.64-11.el5.centos
Complete!