LAN 000 Dot 1x

- _____ Windows 7 _____
- _____ Win 8 LAN Dot1x

- _____ Windows 10

@Internet-RMUTL

@Internet-RMUTL

- _____ Winlo dot1x

Server



http://blogs.technet.com/b/migreene/archive/2008/02/28/294089
7.aspx

http://technet.microsoft.com/en-us/library/ff793422.aspx

000000000000000000 KMS 00000 Server

- OS _____ Microsoft Windows Server 2008R2 _____ (___ _____ Patch ____ ______ Patch ____ ______ (___)
- _____ KMS ______ A,B _____ C

- OCONDENS DOCUMENTO DO DOCUMENTO DOCUMENTO DO DOCUMENTO DO DOCUMENTO D



Create Record

Resource Record Type	? ×
Select a resource record type:	
Renamed Mailbox (MR)	_
Route Through (RT)	
Service Location (SRV) Signature (SIG)	
Text (TXT)	•
Description: Service (SRV) record. Allows administrators to use several servers for a single DNS domain, to easily move a TCP/IP service from one host to another host with administration, and to designate some service provider hosts as primary servers for a service and other hosts as backups. DNS clients that use a SRV-type query ask for a specific TCP/IP service and protocol mapped to a specific DNS domain and receive the names of any available servers. (RFC 2052	2)
	Y
<u>C</u> reate Record Cano	el

New Resource Recor	d			? ×	
Service Location (SRV)				
Do <u>m</u> ain:	rmutl.local				
Service:	_VLMCS			-	
<u>P</u> rotocol:	_tcp			•	
Pri <u>o</u> rity:	0				
<u>W</u> eight:	0				
Port <u>n</u> umber:	1688				
Host offering this se kms.rmutl.local	rvice:				
Allow any authenticated user to update all DNS records with the same name. This setting applies only to DNS records for a new name.					
			OK	Cancel	

_VLMCS._tcp.rmutl.local. IN SRV 0 0 1688 kms.rmutl.local.

- 1. _____ cmd _____ Administrator (Run as Administrator)
- 2. _____ c:windowssystem32
- 4. Activate _____ cscript slmgr.vbs /ato _____

0000000000 000000000000000 Uninet

 Image: Image:



UniNet

VoIP



NULL (Voice over Internet Protocol) (UNDADADA Internet telephony, DDDD Digital Phone)

1. ______

(Voice 0ver IΡ пппп link ППП